

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	Pressure/Forced ☐	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	☐ Offset/Setup	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	☐ Supplier	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	☐ Training	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	☐ Use for Testing	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	☐ Poor Information	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	☐ Rushing	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	☐ Product Improvement	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	☐ Process Improvement	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Work Order ID 155799***155799***

Page 2

Wednesday, January 18, 2017 7:38:49 AM

Item ID: D350-689-023

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 1/9/2017 Start Qty: 2.00 ***2***

Cust Item ID:

Required Date: 1/17/2017 Req'd Qty: 2.00 ***2***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							
130	Packaging					<u>2</u>	DAS 28 9-89	DAS 27 9-89	FEB 23 2017
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-689-023 Location: FG027								
140		0.00							
140	QC21- Final Inspection - Work Order Release						DAS 21 9-89		FEB 24 2017
QC	Memo	0.03							
Quality Control									

FEB 24 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, January 17, 2017 1:19:32 PM

Page 1

Work Order ID: 155799

155799

Parent Item: D350-689-023

D350-689-023

Parent Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 1/9/2017

Required Date: 1/17/2017

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A 08-12-23 new issue DD verified by:EC
revise route seq DD 10.02.12 vrified byJLM
11.09.28 verified by:JLM
CHG004 (ecn12-501) DD VERF:EC
IPP Rev:B
IPP Rev:C chg003 DD
IPP Rev:D 12.01.12 now @

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4575-1 *D4575-1* Beam		Manufactured	No			110	Each	4.0000	1	2	6 9-6 9-89	FEB 16 2017	DAS 27 9-89
**													
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST259		4							
				147703		4		2					
D4575-3 *D4575-3* Doubler		Manufactured	No			110	Each	3.0000	1	2	6 9-89	FEB 16 2017	DAS 27 9-89
**													
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST259		3		2					
				153095		3							
D3027-7 *D3027-7* Clip		Manufactured	No			110	Each	0.0000	4	8	6 9-89	FEB 16 2017	DAS 27 9-89
**													
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST259		2		155222					
				154341		2							
D3811-041 *D3811-041* Seat Track Assembly		Manufactured	No			110	Each	2.0000	1	2	6 9-89	FEB 16 2017	DAS 27 9-89
**													
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST259		2		2					
				154341		2							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐					
Misidentified ☐	Past Due ☐						

Picklist Print

Page 2

Tuesday, January 17, 2017 1:19:32 PM

Work Order ID: 155799

155799

Parent Item: D350-689-023

D350-689-023

Parent Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 1/9/2017

Required Date: 1/17/2017

Start Qty: 2.00

Required Qty: 2.00

MS21042L3

Purchased

No

110

Each

1,970.000

9

18

MS21042L3

Nut

**

DAS
6
9-89

FEB 16 2017

DAS
27
9-89

Location

Loc Qty

Loc Code

FP001

100

m135945

100

GA

162

m134360

108

m135135

54

OVER007

500

M136554

500

ST303

1208

M136044

108

M136192

600

M136406

500

18

MS24694-S50

Purchased

No

110

Each

518.0000

9

18

MS24694-S50

Screw

**

DAS
6
9-89

FEB 16 2017

DAS
27
9-89

Location

Loc Qty

Loc Code

CCK006

400

m136579

400

GA

18

m134370

18

ST284

100

m136047

100

14

Tuesday, January 17, 2017 1:19:32 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	☐ OTHER : _____					
Misidentified ☐	☐ Past Due						

Picklist Print

Tuesday, January 17, 2017 1:19:32 PM

Page 3

Work Order ID: 155799

155799

Parent Item: D350-689-023

D350-689-023

Parent Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 1/9/2017

Required Date: 1/17/2017

Start Qty: 2.00

Required Qty: 2.00

NAS1149D0363J

Purchased

No

110

Each

1,128.000

9

18

NAS1149D0363.J

Washer

DA
6
9-89

DAS
27
9-89

FEB 16 2017

Location

Loc Qty

Loc Code

GA

272

m134055

272

ST263

856

m136318

856

136787

DAS
28
9-89

Tuesday, January 17, 2017 1:19:32 PM

Shop Packet Print

Page 3

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____				
Misidentified ☐	Past Due ☐					

5.0 PARTS LIST

Qty -011	Qty -013	Qty -021	Qty -023	Qty -041	Qty -043	Part Number	Description
X						D350-689-011	DUAL HIGH BACK SEAT INSTALLATION, LH
1	X					D350-689-013	FLOOR PROVISIONS KIT
		X				D350-689-021	DUAL HIGH BACK SEAT INSTALLATION, LH
		1	X			D350-689-023	ENERGY ATTENUATING FLOOR PROVISIONS KIT
1				X		D350-689-041	DUAL HIGH BACK SEAT ASSEMBLY
		1			X	D350-689-043	DUAL HIGH BACK SEAT ASSEMBLY
1		1				D3018-1	SEAT CUSHION
1		1				D3019-1	BACK CUSHION
	1					D3025-1	BEAM
	1					D3027-1	CLIP
	1					D3027-3	CLIP
	1					D3027-5	CLIP
	4		4			D3027-7	CLIP
				4		D3028-1	STUD
				2		D3029-1	SPRING
				2		D3030-1	LOCK
	1					D3032-1	SPACER
	2					D3033-1	SEAT TRACK
	1					D3234-1	DOUBLER
	2					D3234-5	SPACER
					2	D3808-041	SEAT RAIL ASSEMBLY
					4	D3809-1	SLIDING BLOCK
			1			D3811-041	SEAT TRACK ASSEMBLY
	1		1			D4575-1	BEAM
	1		1			D4575-3	DOUBLER
				1	1	D5162-041	SEAT STRUCTURE ASSEMBLY
			9			MS21042L3	NUT (OR MS21042-3)
	12					MS21059L3	NUTPLATE
	2					MS24693-S273	SCREW
			9			MS24694-S50	SCREW
	6					MS27039-1-10	SCREW
	6					NAS1149D0332J	WASHER (OR AN960JD10L)
			9			NAS1149D0363J	WASHER (OR AN960JD10)